

**IN THE UNITED STATES PATENT OFFICE**

**RECEIVED  
CENTRAL FAX CENTER**

**MAY 22 2007**

Application Serial No. 10/020,882

Our Ref: PT-1949001

**CUSTOMER NO. 23607**

Filing Date: December 19, 2001

Applicant: Dialysis Solutions Inc.

Agent: Neil H. Hughes, P. Eng.  
c/o Ivor M. Hughes  
Barristor & Solicitor  
Patent & Trademark Agents  
Suite 200  
175 Commerce Valley  
Drive West  
Thornhill, Ontario  
L3T 7P6, Canada

Title: STERILE LOW BICARBONATE DIALYSIS CONCENTRATE SOLUTIONS.

Examiner: JOHN D. PAK

Group Art Unit: 1616

No. of Pages of Response including this sheet:

-----  
**DELIVERED TO FACSIMILE NO. 571-273-8300**

Dear Sir:

**OFFICIAL COMMUNICATION**

**CERTIFICATION OF FACSIMILE TRANSMISSION**

I hereby certify that this paper is being facsimile transmitted to the United States Patent Office Facsimile No. 571-273-8300 on the date shown below, including:

1. Amendments and Remarks to Response to Official Action of February 22, 2007.

Signature: \_\_\_\_\_

Neil H. Hughes, P.Eng.  
Registration No. 33,636  
Agent for Applicant

Date: May 22, 2007

**IN THE UNITED STATES PATENT OFFICE**

**RECEIVED  
CENTRAL FAX CENTER**

**MAY 22 2007**

Application No. 10/020,882

Our Reference No. PT-1949001

Applicant: Dialysis Solutions Inc.

Agent: Neil H. Hughes, P.Eng.  
c/o IVOR M. HUGHES  
Barrister & Solicitor  
Patent & Trademark Agents  
175 Commerce Valley Dr. W.  
Suite 200  
Thornhill, Ontario  
L3T 7P6

Title: STERILE LOW BICARBONATE DIALYSIS CONCENTRATE SOLUTIONS

Inventors: Sheldon Tobe

Filing Date: December 19, 2001

Art Unit: 1616

Examiner: John D. Pak

**Due Date: May 22, 2007**

---

**RESPONSE TO OFFICIAL ACTION  
OF FEBRUARY 22, 2007  
AMENDMENTS AND REMARKS**

May 22, 2007

**VIA FACSIMILE**

United States Patent and Trademark Office  
Customer Service Window, Mail Stop AF  
Randolph Building  
401 Dulany Street  
Alexandria, VA 22314

Dear Sir:

In response to the Final Office Action dated February 22, 2007 and due for a response **May 22, 2007**, Applicant respectfully requests that the following submissions be entered.